	Application No.	Applicant(s)
Notice of Allowability	10/069,147	EVRARD, ALAIN
	Examiner	Art Unit
	Robert B. Davis	1722
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 2. The allowed claim(s) is/are 1-8. 3. The drawings filed on 11 September 2002 are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. \(Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
(c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).		
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
 1⊠ Notice of References Cited (PTO-892) 2□ Notice of Draftperson's Patent Drawing Review (PTO-948) 3⊠ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No. 11/9/02 4□ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6☐ Interview Summary (F), 7☐ Examiner's Amendme	t of Reasons for Allowance
		Robert B. Davis Primary Examiner Art Unit: 1722

Application/Control Number: 10/069,147 Page 2

Art Unit: 1722

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: None of the prior art of record teaches or suggests a stretch blow molding apparatus having a stretch rod that is controlled by a magnetic device comprising a fixed magnetic guide placed around the axis of a carousel and a slide having a magnetic block that is integral with the drawing or stretch rod such that the block and the guide have a magnetic coupling. The closest prior art (Kauffman et al 4,141,680) discloses a stretch pin actuating means in the form of a cam and cam follower for controlling the movement of the stretch pin, but the reference neither discloses nor suggests using a fixed magnetic guide in combination with slide having a magnetic block for the actuation of a stretch pin.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert B. Davis whose telephone number is 571-272-1129. The examiner can normally be reached on Monday-Friday 9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda L. Walker can be reached on 571-272-1151. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-

0661.

Robert B. Davis Primary Examiner Art Unit 1722

12/12/02